

# NIAUX 200 DISKS

20-40% LONGER WEAR

**LONG LASTING.  
EFFECTIVE.  
ROBUST.**





# WHY CHOOSE NIAUX 200?

The *Niaux 200* line of coulters and disk blades are the result of extensive research and development efforts in metallurgy and heat treatment. Special boron-carbon steel along with patented transitional heat treatment lead to this consistently longer wearing blade. Forges de Niaux is the only manufacturer in the world to offer disk blades with hardness levels up to 58 HRC, outperforming the competition.

## BACKED WITH A LIFETIME REPLACEMENT WARRANTY AGAINST BREAKAGE\*

### LONG-LASTING


Thanks to increased hardness in the working area, *Niaux 200* disks have 20-40% longer wear than other disks on the market.

### EFFECTIVE

*Niaux 200* disk blades ensure a perfect cutting quality throughout their lifetime with less dulling on the leading edge.

### ROBUST

*Niaux 200* disk blades are very resilient and are designed to resist extreme shocks and deformations.



### MAXIMUM HARDNESS & WEAR RESISTANCE (55-58 HRC)

The outer edge offers the highest level of hardness providing 20-40% longer wear.

### TRANSITION AREA (50-55 HRC)

Increased durability comes from the transitional zone.

### MAXIMUM FLEXIBILITY (48-50 HRC)

The lowest level of hardness is found in the center core of the disk, where it is mounted, providing flexibility for shock absorption.

\*Lifetime warranty on breakage due to manufacturer defect. Warranty is limited to the failed part and does not cover any consequential damages.

For more information talk to your local BTT dealer, call 1.800.878.7714, email [info@tillagetools.ca](mailto:info@tillagetools.ca) or visit [tillagetools.ca](http://tillagetools.ca).





## STRONG PARTNERS IN GLOBAL DISTRIBUTION.

At BTT, we're committed to providing high quality products backed by the best warranty, performance guarantee and customer service in the market. This commitment led to a valuable partnership with French disk manufacturer, Forges de Niaux, allowing us to bring their disk blades to our local markets.

Forges de Niaux has over 70 years of disk blade manufacturing experience and has been on the leading edge of many innovative ideas. With generations of experience under their belt, the *Niaux 200* line of disk blades were released. Forges de Niaux is the only manufacturer in the world to offer disk blades with hardness levels up to 58 HRC.

Learn more about the advantages of *Niaux 200* disks at [forgesdeniaux.com](http://forgesdeniaux.com).

### DISKS TO FIT

AGPRO  
AMITY  
BOURGAULT  
CNH  
CONCORD  
GREAT PLAINS  
JOHN DEERE  
LEMKEN  
NORWOOD  
PILLAR  
SALFORD  
SUNFLOWER  
SUMMERS  
YETTER



**500-200-1025**

FITS: **AMITY & CONCORD**

Amity Single Disc Drill

<b>OEM Part #</b>	34354
<b>Disk Type</b>	Flat Coulter
<b>Dimensions</b>	18" x 5mm
<b>Pilot Hole Size</b>	3-5/8"
<b># Bolt Holes</b>	4



**500-200-1000**

FITS: **BOURGAULT**

Bourgault MRB® III, 3720 Coulter Drill

<b>OEM Part #</b>	2085-04
<b>Disk Type</b>	Flat Coulter Single Bevel
<b>Dimensions</b>	20-1/2" x 5mm
<b>Pilot Hole Size</b>	3.660"
<b># Bolt Holes</b>	4 Beveled



**500-200-1015**

FITS: **BOURGAULT**

Bourgault 3820 Coulter Drill

<b>OEM Part #</b>	2085-05
<b>Disk Type</b>	Flat Coulter Single Bevel
<b>Dimensions</b>	20-1/2" x 5mm
<b>Pilot Hole Size</b>	3.660"
<b># Bolt Holes</b>	4



**500-200-1035**

FITS: **BOURGAULT**

Bourgault MRB® I / Series 20

<b>OEM Part #</b>	6407-25
<b>Disk Type</b>	Flat Coulter Dbl Bevel
<b>Dimensions</b>	18-3/8" x 4.5mm
<b>Pilot Hole Size</b>	3.645"
<b># Bolt Holes</b>	4




**500-200-1040**

FITS: **BOURGAULT**

Bourgault MRB® II / Series 25

<b>OEM Part #</b>	6717-99
<b>Disk Type</b>	Flat Coulter Dbl Bevel
<b>Dimensions</b>	20-3/8" x 4.5mm
<b>Pilot Hole Size</b>	3.645"
<b># Bolt Holes</b>	4



**500-200-1005**

FITS: **CNH**

**Case:** IH 500, 500T  
**NH:** P2080 & NH P2085

<b>OEM Part #</b>	87488385
<b>Disk Type</b>	Flat Coulter
<b>Dimensions</b>	18" x 5mm
<b>Pilot Hole Size</b>	3.5"
<b># Bolt Holes</b>	4



**517-200-1020**

FITS: **CNH**

**CIH, DMI:** 530C, 730C

<b>OEM Part #</b>	87457566
<b>Disk Type</b>	Plain Concave
<b>Dimensions</b>	24-3/4" x 6.5mm
<b>Pilot Hole Size</b>	4"
<b># Bolt Holes</b>	5




**510-200-1000**

FITS: **GREAT PLAINS**

Turbo Chopper, Turbo-Max , Turbo Till & Turbo Till II

<b>OEM Part #</b>	820-011C
<b>Disk Type</b>	20 Wave RT Coulter
<b>Dimensions</b>	20-1/2" x 6.5mm
<b>Pilot Hole Size</b>	1-3/4" Round
<b># Bolt Holes</b>	N/A



**511-200-1000**

FITS: **GREAT PLAINS**

Vantage I Fertilizer Coulter, Zone Coulter & HD Utility Coulter

<b>OEM Part #</b>	820-215C
<b>Disk Type</b>	20 Wave RT Coulter
<b>Dimensions</b>	18" x 5mm
<b>Pilot Hole Size</b>	4"
<b># Bolt Holes</b>	4



**500-200-1010**

FITS: **JOHN DEERE**

JD 750, 752, 1560, 1590, 1690, 1850, 1860, 1890, 1890 CCS, 1895, 1990 & 1835 SFP Air Hoe

<b>OEM Part #</b>	N283804
<b>Disk Type</b>	Flat Coulter
<b>Dimensions</b>	18" x 5mm
<b>Pilot Hole Size</b>	3"
<b># Bolt Holes</b>	4



**517-200-1030**

FITS: **JOHN DEERE & NORWOOD**

**JD:** 2680H  
**Norwood:** Kwik-Till

<b>OEM Part #</b>	JD N590340003 NW 18199A & 19028A
<b>Disk Type</b>	Plain Concave Flat Center
<b>Dimensions</b>	20" x 6.5mm
<b>Pilot Hole Size</b>	N/A
<b># Bolt Holes</b>	4



**522-200-1040**

FITS: **JOHN DEERE & NORWOOD**

**JD:** 2680H  
**Norwood:** Kwik-Till

<b>OEM Part #</b>	JD N590340002 NW 18354A
<b>Disk Type</b>	Notched Concave Flat Center
<b>Dimensions</b>	20" x 6.5mm
<b>Pilot Hole Size</b>	N/A
<b># Bolt Holes</b>	4



**522-200-1000**

FITS: **LEMKEN**

Heliodor 8

<b>OEM Part #</b>	3490471
<b>Disk Type</b>	Notched Concave
<b>Dimensions</b>	18" x 5mm
<b>Pilot Hole Size</b>	N/A
<b># Bolt Holes</b>	6



**522-200-1005**

FITS: **LEMKEN**

Rubin 9

<b>OEM Part #</b>	3490467
<b>Disk Type</b>	Notched Concave
<b>Dimensions</b>	24-5/8" x 6mm
<b>Pilot Hole Size</b>	N/A
<b># Bolt Holes</b>	5




**522-200-1035**

FITS: **LEMKEN**

Heliodor 9

<b>OEM Part #</b>	34910027
<b>Disk Type</b>	Notched Concave
<b>Dimensions</b>	20" x 5mm
<b>Pilot Hole Size</b>	N/A
<b># Bolt Holes</b>	4



**500-200-1020**

FITS: **PILLAR**

DH Series

<b>OEM Part #</b>	206-007
<b>Disk Type</b>	Flat Coultter
<b>Dimensions</b>	18" x 5mm
<b>Pilot Hole Size</b>	3-5/8"
<b># Bolt Holes</b>	4




**505-200-1000**

FITS: **SALFORD**

Salford I-1100 & Salford I-1200

<b>OEM Part #</b>	10010764 & CT512008
<b>Disk Type</b>	8 Wave Coultter
<b>Dimensions</b>	20" x 4.5mm
<b>Pilot Hole Size</b>	4"
<b># Bolt Holes</b>	4




**505-200-1005**

FITS: **SALFORD**

Salford I-1100 & Salford I-1200

<b>OEM Part #</b>	10010766 & CT512013
<b>Disk Type</b>	13 Wave Coultter
<b>Dimensions</b>	20" x 4.5mm
<b>Pilot Hole Size</b>	4"
<b># Bolt Holes</b>	4




**505-200-1010**

FITS: **SALFORD**

Salford I-2100, I-2200 (all)  
Salford I-4100 (back 2 rows)  
Salford I-4200 (all but front row)

<b>OEM Part #</b>	10010768 & CT512208
<b>Disk Type</b>	8 Wave Coultter
<b>Dimensions</b>	21-3/4" x 5mm
<b>Pilot Hole Size</b>	4"
<b># Bolt Holes</b>	5



**505-200-1015**

FITS: **SALFORD**

Salford I-2100, I-2200 (all)  
Salford I-4100 (back 2 rows)  
Salford I-4200 (all but front row)

<b>OEM Part #</b>	CT512213 & 10010769
<b>Disk Type</b>	13 Wave Coultter
<b>Dimensions</b>	22-3/4" x 5mm
<b>Pilot Hole Size</b>	4"
<b># Bolt Holes</b>	5



### 517-200-1015

FITS: **SALFORD**

Salford I-4100 (first 2 rows),  
I-4200 (front row) & I-5100 (all)

<b>OEM Part #</b>	CT512250 & 10010771
<b>Disk Type</b>	Plain Concave
<b>Dimensions</b>	22-1/4" x 5mm
<b>Pilot Hole Size</b>	4"
<b>Bolt Holes</b>	5




### 517-200-1020

FITS: **SALFORD**

Optional on Salford I-5100 & 5200

<b>OEM Part #</b>	CT503059 & 10010727
<b>Disk Type</b>	Plain Concave
<b>Dimensions</b>	24-3/4" x 6.5mm
<b>Pilot Hole Size</b>	4"
<b>Bolt Holes</b>	5



### 505-200-1020

FITS: **SUMMERS**

Summers Super Coulter & Coulter  
Chisel

<b>OEM Part #</b>	8J1020
<b>Disk Type</b>	8 Wave Coulter
<b>Dimensions</b>	20" x 6.5mm
<b>Pilot Hole Size</b>	2" Round
<b>Bolt Holes</b>	N/A



### 505-200-1025

FITS: **SUMMERS**

Summers Super Coulter & Coulter  
Chisel

<b>OEM Part #</b>	8J1021N
<b>Disk Type</b>	8 Wave Notch Coulter
<b>Dimensions</b>	22-1/2" x 6.5mm
<b>Pilot Hole Size</b>	2" Round
<b>Bolt Holes</b>	N/A



### 515-200-1000

FITS: **SUMMERS**

Summers DK Series Disk

<b>OEM Part #</b>	8K5026
<b>Disk Type</b>	Plain Concave
<b>Dimensions</b>	26-1/4" x 6.5mm
<b>Pilot Hole Size</b>	2" Round
<b>Bolt Holes</b>	N/A



### 521-200-1000

FITS: **SUMMERS**

Summers DT Series Disk

<b>OEM Part #</b>	8K5025N
<b>Disk Type</b>	Notched Concave
<b>Dimensions</b>	25" x 8mm
<b>Pilot Hole Size</b>	2" Round
<b>Bolt Holes</b>	N/A




### 517-200-1017

FITS: **SUNFLOWER**

Sunflower 4410, 4411, 4412,  
4510, 4511 & 4530

<b>OEM Part #</b>	CT512250 & 10010771
<b>Disk Type</b>	Plain Concave
<b>Dimensions</b>	22-1/4" x 6.5mm
<b>Pilot Hole Size</b>	4"
<b>Bolt Holes</b>	5



### 500-200-1030

FITS: **YETTER & AGPRO**

<b>OEM Part #</b>	Yetter 2571-169
<b>Disk Type</b>	Flat Coulter
<b>Dimensions</b>	18" x 4.5mm
<b>Pilot Hole Size</b>	3-15/16" Round
<b>Bolt Holes</b>	4



# FLAT & WAVY DISK BLADES

BTT PART #	FITS	OEM PART #	DISK TYPE	DIMENSIONS	PILOT HOLE SIZE	BOLT HOLES
500-200-1025	AMITY& CONCORD	34354	FLAT COULTER	18" x 5mm	3-5/8"	4
500-200-1000	BOURGAULT	2085-04	FLAT COULTER SINGLE BEVEL	20-1/2" x 5mm	3.660"	4 BEVELED
500-200-1015	BOURGAULT	2085-05	FLAT COULTER SINGLE BEVEL	20-1/2" x 5mm	3.660"	4
500-200-1035	BOURGAULT	6407-25	FLAT COULTER DOUBLE BEVEL	18-3/8" x 4.5mm	3.645"	4
500-200-1040	BOURGAULT	6717-99	FLAT COULTER DOUBLE BEVEL	20-3/8" x 4.5mm	3.645"	4
500-200-1005	CNH	87488385	FLAT COULTER	18" x 5mm	3.5"	4
510-200-1000	GREAT PLAINS	820-011C	20 WAVE RT COULTER	20-1/2" x 6.5mm	1-3/4" ROUND	N/A
511-200-1000	GREAT PLAINS	820-215C	20 WAVE RT COULTER	18" x 5mm	4"	4
500-200-1010	JOHN DEERE	N283804	FLAT COULTER	18" x 5mm	3"	4
500-200-1020	PILLAR	206-007	FLAT COULTER	18" x 5mm	3-5/8"	4
505-200-1000	SALFORD	10010764 & CT512008	8 WAVE COULTER	20" x 4.5mm	4"	4
505-200-1005	SALFORD	10010766 & CT512013	13 WAVE COULTER	20" x 4.5mm	4"	4
505-200-1010	SALFORD	10010768 & CT512208	8 WAVE COULTER	21-3/4" x 5mm	4"	5
505-200-1015	SALFORD	CT512213 & 10010769	13 WAVE COULTER	22-3/4" x 5mm	4"	5
505-200-1020	SUMMERS	8J1020	8 WAVE COULTER	20" x 6.5mm	2" ROUND	N/A
505-200-1025	SUMMERS	8J1021N	8 WAVE NOTCH COULTER	22-1/2" x 6.5mm	2" ROUND	N/A
500-200-1030	YETTER & AGPRO	YETTER 2571-169	FLAT COULTER	18" x 4.5mm	3-15/16" ROUND	4

# CONCAVE DISK BLADES

BTT PART #	FITS	OEM PART #	DISK TYPE	DIMENSIONS	PILOT HOLE SIZE	BOLT HOLES
517-200-1020	CNH	87457566	PLAIN CONCAVE	24-3/4" x 6.5mm	4"	5
517-200-1030	JOHN DEERE	NS90340003	PLAIN CONCAVE FLAT CENTER	20" x 6.5mm	N/A	4
522-200-1040	JOHN DEERE	NS90340002	NOTCHED CONCAVE FLAT CENTER	20" x 6.5mm	N/A	4
517-200-1030	NORWOOD	18199A & 19028A	PLAIN CONCAVE FLAT CENTER	20" x 6.5mm	N/A	4
522-200-1040	NORWOOD	18354A	NOTCHED CONCAVE FLAT CENTER	20" x 6.5mm	N/A	4
522-200-1000	LEMKEN	3490471	NOTCHED CONCAVE	18" x 5mm	N/A	6
522-200-1005	LEMKEN	3490467	NOTCHED CONCAVE	24-5/8" x 6mm	N/A	5
522-200-1035	LEMKEN	34910027	NOTCHED CONCAVE	20" x 5mm	N/A	4
517-200-1015	SALFORD	CT512250 & 10010771	PLAIN CONCAVE	22-1/4" x 5mm	4"	5
517-200-1020	SALFORD	CT503059 & 10010727	PLAIN CONCAVE	24-3/4" x 6.5mm	4"	5
515-200-1000	SUMMERS	8K5026	PLAIN CONCAVE	26-1/4" x 6.5mm	2" ROUND	N/A
521-200-1000	SUMMERS	8K5025N	NOTCHED CONCAVE	25" x 8mm	2" ROUND	N/A
517-200-1017	SUNFLOWER	CT512250 & 10010771	PLAIN CONCAVE	22-1/4" x 6.5mm	4"	5

All product and company names are trademarks™ or registered® trademarks of their respective holders. Use of them does not imply any affiliation with or endorsement by them. MRB®, Mid Row Banders® and Mid Row Bander® are Trademarks of Bourgault Industries Ltd. and used with permission



**F.P. Bourgault Tillage Tools Ltd.**

P.O. Box 310 | 200-5th Avenue South | St. Brieux, SK, Canada S0K 3V0

**P 1.800.878.7714 | F 1.306.275.4720**

**tillagetools.ca**

